



PRODUCT CATALOGUE

**FASTENERS CONTRACTORS
AND ENGINEERS AGREE ON.**

P: 855-895-7096

u2fasteners.com

F: 807-623-6224

info@u2fasteners.com





GET THE PROJECT DONE RIGHT WITH U2 FASTENERS!

Contact Us

Open Mon-Fri 8:30am-5:00pm EST

sales@u2fasteners.com

u2fasteners.com

TF: 855-895-7096

FX: 807-623-6224

Suite 500, Keefer Terminal

100 Main Street

Thunder Bay ON P7B 6R9

Canada

CONTENTS

About U2 Fasteners	4
Our Products	6
Universal Screw	8
Construction Screw	10
Black Construction Screw	12
Clamshell / Small Pack Screws	14
Black Flat Head Screw	16
Fine Screw	18
Re-Fine Screw	20
Cap Screw	22
Topstar Adjustable Screw	24
Steel Siding Screw	26
Vinyl Extrusion Screw	27
U-BITS	28
Merchandising & Displays	29
Screw Features	30

PREMIUM QUALITY SCREWS

**Fasteners that contractors and
engineers agree on. Find out why!**



THE DRIVING FORCE IN THE FASTENER INDUSTRY

With premium fasteners, code compliant and focus on customer service.

U2 FASTENERS offers fasteners manufactured based on years of engineering and design experience. We produce high quality fasteners for contractors in an effort to meet their specific requirements. Our construction screws are suitable for many types of construction. They do not strip or snap, and they stick on the bit. Also, our screws are code-compliant for pressure treated lumber and structural strength. We have 316 Stainless Steel fasteners in the most popular sizes. We offer CONSTRUCTION screws that replace lag screws, UNIVERSAL screws that are 'deck screws on steroids', FINE (trim) screws, CAP (cabinet) screws and the TOPSTAR Adjustable Screw that eliminates shimming when hanging doors.

U2 Fasteners has released its IAPMO (ER 454) evaluation report to become one of just a few companies that are evaluated and comply with the International Building Code and Residential Building Code for corrosion resistance (AC257) and Structural Strength (AC233). The coating of our fasteners was one of the first, if not the only coating which passed 2015 requirements with ground contact at 0.6pcf ACQ treated lumber (ER 454). U2 FASTENERS is also the first fastener company which offers Chrome 6-free coating. This reduces the risk for end-users who may develop skin cancer through the constant use of fasteners with surface coating that contains Chromium 6.

We pride ourselves on our efficient and friendly customer service and are pleased to supply our customers with top quality fasteners.



ER 454



PRODUCTS

SCREWS

AVAILABLE IN:  CASE HARDENED STEEL  STAINLESS STEEL  WHITE  BLACK

UNIVERSAL

Ideal for replacing those old deck screws, the features that work together to drive and secure this screw in many types of materials that are used in residential construction.



CONSTRUCTION

The next generation of construction screws that are replacing lag screws.



BLACK CONSTRUCTION

The sibling of the CS screw, the Black Edition.



BLACK FLAT HEAD

Versatility and style in fastening solutions. In Tapper and Tek point.



FINE

Designed especially for carpenters who do fine professional work.



RE-FINE

With a double twist at the head for drawing strength, it is ideal for siding, railing spindles and small adjustments.



CAP

An ideal light duty interior and exterior screw, this screw makes all your small projects easier with the draw-down strength of the head and the clean finish.



TOPSTAR

An adjustable screw designed to replace shims when leveling doors, windows and cabinets.



STEEL SIDING

Ideal metal roofing, siding, garage door seal, trim and flashing screw.



VINYL EXTRUSION

An adjustable screw ideal for vinyl window retro-fits over old aluminum window frames.





BITS U-BITS

The U-Bits™ are specifically designed to fit snug and firm on the Tight Star Recess of the U2 Fasteners™ screw assortment.

MERCHANDISING & DISPLAYS



HEADER CARDS

For use on wire display rack or wall mounting.

Dimensions:

- ✓ 24" x 12" or 35" x 12"

STORE DISPLAY

Wire display rack is available with minimum purchase qualifying order.

Dimensions:

- ✓ 26"W x 22"D x 62"H

SCREW DISPLAY BOARD

Table top assortment at point of purchase.

TOPSTAR™ DEMO BLOCK

Hand held point of purchase block promoting product functionality up close.

PRODUCT PACKAGING

Versatile package sizes that fit display and shelving for customer needs.



Bulk Box
Carbon Steel
Screws



Bulk Box
Stainless Steel
Screws



Bucket



Package



Carded Bit



Bit Box

UNIVERSAL SCREW™

IDEAL FOR REPLACING THOSE OLD DECK SCREWS

Our Universal Screw™ is a code compliant countersink fastener that allows the head to sit flush or below the surface of the surrounding materials. This allows other objects stable rest upon it. The countersunk portion offers a good centering possibility. Ideal applications are decking, framing, sub-floors, fencing, lattice, shelving, railings, stairs, fine wood working, and more.

UNIVERSAL SCREW™ FEATURES



Burrow Pockets



Tight Star Recess



Reamer Thread



Taper Point

- ✓ U-Gold coating for heavy duty ground contact.
- ✓ Structural & ACQ treated lumber code compliant. In report ER-454.
- ✓ Underneath the Universal head Burrow Pockets are dynamically engineered to help countersink into the toughest of materials.
- ✓ Tight Star Recess system grasps the U-Bit tightly and can be installed with one hand.
- ✓ Below the smooth shank is the Reamer Thread, which enlarges the hole to create a passage when drawing materials together and reduces tension for the screw head.
- ✓ Taper Point, consisting of the Cork Screw Start and Blade Cutting Thread for easy piercing and alleviating strain on the material.

AVAILABLE IN

- ✓ Lengths from $\frac{1}{2}$ " to 12" in case hardened steel
- ✓ Lengths from 1- $\frac{1}{4}$ " to 4" in 316 Grade Stainless Steel
- ✓ Lengths from 2- $\frac{1}{2}$ " to 3- $\frac{1}{8}$ " in Black



ER 454



UNIVERSAL SCREW™ ORDERING CHART

SIZE	BULK		BUCKET		PACKAGE	
	STOCK CODE	PCS	STOCK CODE	PCS	STOCK CODE	PCS
6 X 1/2"	U06100500B	16,000	U06100500P	1,600	U06100500H	100
6 X 5/8"	U06100625B	14,000	U06100625P	1,400	U06100625H	100
6 X 1-1/2"	U06101500B	8,000	U06101500P	928	U06101500H	100
8 X 1-1/4"	U08101250B	10,000	U08101250P	835	U08101250H	100
8 X 1-1/2"	U08101500B	6,500	U08101500P	750	U08101500H	100
8 X 2"	U08102000B	4,500	U08102000P	630	U08102000H	100
9 X 1-1/2"	U09101500B	5,200	U09101500P	610	U09101500H	100
9 X 1-3/4"	U09101750B	4,500	U09101750P	542	U09101750H	100
9 X 2"	U09102000B	3,700	U09102000P	510	U09102000H	100
9 X 2-1/2"	U09102500B	2,600	U09102500P	435	U09102500H	100
9 X 2-3/4"	U09102750B	2,000	U09102750P	365	U09102750H	100
9 X 3-1/8"	U09103125B	1,500	U09103125P	330	U09103125H	100
10 X 1-5/8"	U10101625B	2,500	U10101625P	500	U10101625H	100
10 X 2-1/4"	U10102250B	2,500	U10102250P	500	U10102250H	100
10 X 2-1/2"	U10102500B	2,200	U10102500P	350	U10102500H	100
10 X 2-3/4"	U10102750B	2,000	U10102750P	295	U10102750H	100
10 X 3-1/8"	U10103125B	1,500	U10103125P	270	U10103125H	100
10 X 3-1/2"	U10103500B	1,200	U10103500P	225	U10103500H	50
10 X 4"	U10104000B	1,000	U10104000P	200	U10104000H	50
10 X 4-1/2"	U10104500B	800	U10104500P	170	U10104500H	50
12 X 3-1/2"	U12103500B	1,200	U12103500P	125	U12103500H	50
12 X 4"	U12104000B	800			U12104000H	50
12 X 5"	U12105000B	500			U12105000H	50
12 X 6"	U12106000B	500			U12106000H	50
12 X 7"	U12107000B	300			U12107000H	40
12 X 8"	U12108000B	300			U12108000H	40
12 X 10"	U12110000B	300			U12110000H	40
12 X 12"	U12112000B	300			U12112000H	40
UNIVERSAL SCREW (STAINLESS 316)						
8 X 1-1/4"	H08101250B	10,000	H08101250P	680	H08101250H	100
8 X 1-1/2"	H08101500B	6,500	H08101500P	620	H08101500H	100
8 X 1-3/4"	H08101750B	5,000	H08101750P	548	H08101750H	100
9 X 1-1/2"	H09101500B	5,000	H09101500P	545	H09101500H	100
9 X 2"	H09102000B	3,700	H09102000P	460	H09102000H	100
10 X 2-1/2"	H10102500B	2,200	H10102500P	295	H10102500H	100
10 X 2-3/4"	H10102750B	2,000	H10102750P	250	H10102750H	100
10 X 3"	H10103000B	1,500	H10103000P	210	H10103000H	100
10 X 4"	H10104000B	1,000	H10104000P	165	H10104000H	50
UNIVERSAL SCREW (BLACK)						
10 X 2-1/2"	U10B02500B	2,200	U10B02500P	350	U10B02500H	100
10 X 3-1/8"	U10B03125B	1,500	U10B03125P	270	U10B03125H	100

 #6, #8 screws take a T-15 U-Bit

 #9, #10, #12 screws take a T-25 U-Bit



CONSTRUCTION SCREW™

IDEAL FOR REPLACING LAG SCREWS

Our Construction Screw™ is a code compliant heavy duty structural fastener. Its design has the finished appearance of a conventional round head, and is created to provide an extra-large bearing surface under the head. This screw is great to be used in professional timber construction, staircases, deck frames, rafter, trellis framing, ledger boards, joists, planter boxes, post supports, play-set structures, retaining walls, facade attachments, and more.

CONSTRUCTION SCREW™ FEATURES



Talon Grip



Tapper Point



Tight Star Recess



Reamer Thread

- ✓ Structural & ACQ treated lumber code compliant. See report ER-454.
- ✓ Dome Head enhances the structural capability
- ✓ Tapper Point which consists of the Cork Screw Start and Blade Cutting Thread for easy piercing and alleviating strain on the material
- ✓ Tight Star Recess system grasps the U-Bit tightly and can be installed with one hand
- ✓ Talon Grip holds the screw tight to prevent loosening and uses its nibs to dig into the material when countersunk
- ✓ Reamer Thread enlarges the hole in the material to create a larger passage when drawing materials together and reduces tension on the screw head

AVAILABLE IN

- ✓ Lengths from 1-½" to 20" made of case hardened steel
- ✓ Lengths from 1" to 8" made of 316 Grade Stainless Steel



CONSTRUCTION SCREW™ ORDERING CHART

SIZE	BULK		BUCKET		PACKAGE	
	STOCK CODE	PCS	STOCK CODE	PCS	STOCK CODE	PCS
10 X 1-1/2"	S10101500B	2,300	S10101500P	282	S10101500H	40
10 X 2"	S10102000B	1,600	S10102000P	258	S10102000H	40
10 X 2-1/2"	S10102500B	1,000	S10102500P	240	S10102500H	40
10 X 2-3/4"	S10102750B	1,000	S10102750P	207	S10102750H	40
10 X 3-1/8"	S10103125B	800	S10103125P	180	S10103125H	40
1/4 X 1-1/2"	S14101500B	1,000	S14101500P	225	S14101500H	40
1/4 X 2"	S14102000B	800	S14102000P	179	S14102000H	40
1/4 X 2-1/2"	S14102500B	700	S14102500P	166	S14102500H	40
1/4 X 2-3/4"	S14102750B	700	S14102750P	144	S14102750H	40
1/4 X 3-1/8"	S14103125B	700	S14103125P	131	S14103125H	40
1/4 X 3-3/8"	S14103375B	400	S14103375P	107	S14103375H	40
5/16 X 2-1/2"	S20102500B	600	S20102500P	100	S20102500H	40
5/16 X 3-1/8"	S20103125B	500	S20103125P	100	S20103125H	40
5/16 X 4"	S20104000B	400	S20104000P	100	S20104000H	40
5/16 X 5"	S20105000B	300			S20105000H	40
5/16 X 6"	S20106000B	300			S20106000H	40
3/8 X 3-1/8"	S22103125B	300			S22103125H	40
3/8 X 3-3/8"	S22103375B	300			S22103375H	40
3/8 X 4"	S22104000B	300			S22104000H	40
3/8 X 5"	S22105000B	300			S22105000H	40
3/8 X 6"	S22106000B	300			S22106000H	40
3/8 X 6-3/4"	S22106750B	300			S22106750H	40
3/8 X 7"	S22107000B	300			S22107000H	40
3/8 X 8"	S22108000B	300			S22108000H	40
3/8 X 10"	S22110000B	300			S22110000H	40
3/8 X 12"	S22112000B	300			S22112000H	40
3/8 X 14"	S22114000B	300			S22114000H	40
3/8 X 16"	S22116000B	80			S22116000H	40
3/8 X 20"	S22120000B	100			S22120000H	25
CONSTRUCTION SCREW (STAINLESS 316)						
10 X 1"	I10101000B	2,500	I10101000P	510	I10101000H	40
10 X 1-1/2"	I10101500B	2,300	I10101500P	372	I10101500H	40
1/4 X 2"	I14102000B	800	I14102000P	220	I14102000H	40
5/16 X 2-1/2"	I20102500B	600			I20102500H	40
5/16 X 3"	I20103000B	500			I20103000H	40
5/16 X 4"	I20104000B	400			I20104000H	40
5/16 X 5"	I20105000B	300			I20105000H	40
5/16 X 6"	I20106000B	300			I20106000H	40
3/8 X 4"	I22104000B	300			I22104000H	40
3/8 X 5"	I22105000B	300			I22105000H	40
3/8 X 8"	I22108000B	300			I22108000H	40



#10 screws and #1/4 screws take a T-25 U-Bit



#5/16 screws take a T-30 U-Bit



#3/8 screw takes a T-40 U-Bit



BLACK CONSTRUCTION SCREW™

SIBLING OF THE ACCLAIMED U2 CS SCREW

U2 CS Black Edition. Crafted as the next generation of self-tapping screws, this black beauty is set to take over from traditional lag screws. The U2 CS Black Edition features a structural-boosting Dome Head. The Tapper Point, equipped with a Cork Screw Start, L-Cut outs, and Blade Cutting Thread, ensures seamless piercing and reduced material strain. With the one-handed installation-friendly Tight Star Recess system and the dependable Talon Grip preventing loosening, the U2 CS Black Edition guarantees a secure and efficient construction process. Elevate your projects with this sophisticated sibling, offering the same reliability with a sleek, black finish.

BLACK CONSTRUCTION SCREW™ FEATURES



Talon Grip



Tapper Point



Tight Star Recess



Reamer Thread

- ✓ Dome Head enhances the structural capability
- ✓ Tapper Point which consists of the Cork Screw Start and Blade Cutting Thread for easy piercing and alleviating strain on the material
- ✓ Tight Star Recess system grasps the U-Bit tightly and can be installed with one hand
- ✓ Talon Grip holds the screw tight to prevent loosening and uses its nibs to dig into the material when countersunk
- ✓ Reamer Thread enlarges the hole in the material to create a larger passage when drawing materials together and reduces tension on the screw head

AVAILABLE IN

- ✓ Lengths from 2 1/8" to 6"



BLACK CONSTRUCTION SCREW™ ORDERING CHART

SIZE	BULK		BUCKET		PACKAGE	
	STOCK CODE	PCS	STOCK CODE	PCS	STOCK CODE	PCS
5/16 X 2-7/8" BK	S20B02875B	500	S20B02875P	120	S20B02875H	40
5/16 X 3-1/8" BK	S20B03125B	500	S20B03125P	100	S20B03125H	40
5/16 X 4" BK	S20B04000B	400	S20B04000P	100	S20B04000H	40
5/16 X 5" BK	S20B05000B	300			S20B05000H	40
5/16 X 6" BK	S20B06000B	300			S20B06000H	40
3/8 X 5"	S22B05000B	300			S22B05000H	40
3/8 X 6"	S22B06000B	300			S22B06000H	40
3/8 X 8"	S22B08000B	300			S22B08000H	40
3/8 X 10"	S22B10000B	300			S22B10000H	40
3/8 X 12"	S22B12000B	300			S22B12000H	40



#5/16 screws take a T-30 U-Bit



#3/8 screw takes a T-40 U-Bit

CLAMSHELL / SMALL PACK SCREWS

Our small pack sizes of universal and construction screws come conveniently packaged in a durable clamshell, ensuring easy storage and access. Perfect for small projects or quick repairs, these screws are ideal for both professionals and DIY enthusiasts. The compact packaging keeps them organized and protected, while the high-quality screws are ready to tackle a variety of applications with strength and reliability.



UNIVERSAL SCREW™ FEATURES



- ✓ U-Gold coating for heavy duty ground contact.
- ✓ Structural & ACQ treated lumber code compliant. See report ER-454.
- ✓ Underneath the Universal head Burrow Pockets are dynamically engineered to help countersink into the toughest of materials.
- ✓ Tight Star Recess system grasps the U-Bit tightly and can be installed with one hand.
- ✓ Below the smooth shank is the Reamer Thread, which enlarges the hole to create a passage when drawing materials together and reduces tension for the screw head.
- ✓ Tapper Point, consisting of the Cork Screw Start and Blade Cutting Thread for easy piercing and alleviating strain on the material.

CONSTRUCTION SCREW™ FEATURES



- ✓ Structural & ACQ treated lumber code compliant. See report ER-454.
- ✓ Dome Head enhances structural capability
- ✓ Tapper Point which consists of the Cork Screw Start and Blade Cutting Thread for easy piercing and alleviating strain on the material
- ✓ Tight Star Recess system grasps the U-Bit tightly and can be installed with one hand
- ✓ Talon Grip holds the screw tight to prevent loosening and uses its nibs to dig into the material when countersunk
- ✓ Reamer Thread enlarges the hole in the material to create a larger passage when drawing materials together and reduces tension on the screw head

CLAMSHELL / SMALL PACK ORDERING CHART

SIZE	STOCK CODE	PCS
CONSTRUCTION SCREW		
5/16 X 2-1/2"	S20102500I	10
5/16 X 3-1/8"	S20103125I	10
5/16 X 4"	S20104000I	10
5/16 X 5"	S20105000I	10
5/16 X 6"	S20106000I	10
3/8 X 3-1/8"	S22103125I	10
3/8 X 3-3/8"	S22103375I	10
3/8 X 4"	S22104000I	10
3/8 X 5"	S22105000I	10
3/8 X 6"	S22106000I	10
3/8 X 6-3/4"	S22106750I	10
3/8 X 7"	S22107000I	8
3/8 X 8"	S22108000I	8
3/8 X 10"	S22110000I	6
3/8 X 12"	S22112000I	6
3/8 X 14"	S22114000I	6
3/8 X 16"	S22116000I	6
3/8 X 20"	S22120000I	6
UNIVERSAL SCREW		
12 X 6"	U12106000I	10
12 X 7"	U12107000I	10
12 X 8"	U12108000I	10
12 X 10"	U12110000I	8
12 X 12"	U12112000I	8



#10 screws and #1/4 screws take a T-25 U-Bit



#5/16 screws take a T-30 U-Bit



#3/8 screw takes a T-40 U-Bit



BLACK FLAT HEAD SCREW™

VERSATILE AND STYLISH

Our Black Flat Head Screw™, the epitome of versatility and style in fastening solutions. Crafted to meet a myriad of needs, it perfectly complements various applications with its sleek black finish and flat head design.

BLACK FLAT HEAD™ FEATURES



Talon Grip



Tapper Point



Tek Point



Tight Star Recess



Reamer Thread

- ✓ Talon Grip holds the screw tight to prevent loosening and uses its nibs to dig into the material when countersunk.
- ✓ Tapper Point which consists of the Cork Screw Start and Blade Cutting Thread for easy piercing and alleviating strain on the material.
- ✓ Tek Point and Blade Cutting Thread for easy piercing and alleviating strain on the material.
- ✓ Tight Star Recess system grasps the U-Bit tightly and can be installed with one hand.
- ✓ Reamer Thread enlarges the hole in the material to create a larger passage when drawing materials together and reduces tension on the screw head.

AVAILABLE IN

- ✓ Lengths of 4" to 9" with or without drill tip



BLACK FLAT HEAD SCREW ORDERING CHART


		BULK		BUCKET		PACKAGE	
SIZE	STOCK CODE	PCS	STOCK CODE	PCS	STOCK CODE	PCS	
12 X 4"	W12104000B	500			W12104000H	40	
12 X 5"	W12105000B	500			W12105000H	40	
12 X 6"	W12106000B	300			W12106000H	40	
12 X 7"	W12107000B	300			W12107000H	40	
12 X 8"	W12108000B	300			W12108000H	40	
12 X 9"	W12109000B	300			W12109000H	40	
2 ⁵ / ₆ X 3- ³ / ₈ "	W27103375B	400	W27103375P	50	W27103375H	20	
2 ⁵ / ₆ X 4"	W27104000B	300	W27104000P	50	W27104000H	20	
2 ⁵ / ₆ X 5"	W27105000B	300			W27105000H	20	
2 ⁵ / ₆ X 6- ³ / ₄ "	W27106750B	200			W27106750H	20	
FLAT HEAD DRILL TIP BLACK							
12 X 4"	Y12104000B	500			Y12104000H	40	
12 X 5"	Y12105000B	500			Y12105000H	40	
12 X 6"	Y12106000B	300			Y12106000H	40	
12 X 7"	Y12107000B	300			Y12107000H	40	
12 X 8"	Y12108000B	300			Y12108000H	40	



#12 screws take a T-25 U-Bit



#2⁵/₆ screws take a T-40 U-Bit



FINE SCREW™

DESIGNED FOR CARPENTERS WHO DO FINE WORK

The Fine Screw™ has a very small finishing head for fine woodworking. It can be used for siding or any project using delicate woods like crown molding, baseboards, railings, PVC, and more.

FINE SCREW™ FEATURES



Tapper Point



Tight Star Recess



Fine Under-head

- ✓ U-Gold or White coating.
- ✓ With its slim shank and bulging thread this screw can be used without damaging even the hardest wood.
- ✓ Tapper Point which consists of the Cork Screw Start and Blade Cutting Thread for easy piercing and alleviating strain on the material.
- ✓ Tight Star Recess system grasps the U-Bit tightly and can be installed with one hand.

AVAILABLE IN

- ✓ Lengths from 1" to 5" in case hardened steel
- ✓ Lengths from 1-½" to 3" made of 316 Grade Stainless Steel
- ✓ Lengths from 2" to 3-½" in White



FINE SCREW™ ORDERING CHART

SIZE	BULK		BUCKET		PACKAGE	
	STOCK CODE	PCS	STOCK CODE	PCS	STOCK CODE	PCS
8 X 1"	F08101000B	10,000	F08101000P	1,050	F08101000H	100
8 X 1-1/4"	F08101250B	10,000	F08101250P	775	F08101250H	100
8 X 1-1/2"	F08101500B	6,500	F08101500P	700	F08101500H	100
8 X 2"	F08102000B	4,500	F08102000P	565	F08102000H	100
8 X 2-1/2"	F08102500B	3,500	F08102500P	475	F08102500H	100
8 X 2-3/4"	F08102750B	3,000	F08102750P	400	F08102750H	100
8 X 3-1/8"	F08103125B	2,000	F08103125P	400	F08103125H	100
9 X 3-1/8"	F09103125B	2,000	F09103125P	315	F09103125H	100
9 X 4"	F09104000B	1,000			F09104000H	50
9 X 5"	F09105000B	800			F09105000H	50
WHITE FINE SCREW						
8 X 2"	E08102000B	4,500	E08102000P	495	E08102000H	100
8 X 2-1/2"	E08102500B	3,500	E08102500P	390	E08102500H	100
8 X 2-3/4"	E08102750B	3,000	E08102750P	350	E08102750H	100
8 X 3-1/8"	E08103125B	2,000	E08103125P	290	E08103125H	100
FINE SCREW (STAINLESS 316)						
8 X 1-1/2"	K08101500B	6,500	K08101500P	670	K08101500H	100
8 X 2"	K08102000B	4,500	K08102000P	565	K08102000H	100
8 X 2-1/2"	K08102500B	3,500	K08102500P	435	K08102500H	100
8 X 3"	K08103000B	2,000	K08103000P	310	K08103000H	100
9 X 3"	K09103000B	2,000	K09103000P	275	K09103000H	100



#8 screws take a T-10 U-Bit



#9 screws take a T-15 U-Bit



RE-FINE SCREW™

FOR FINE WORK AND MORE

Our Re-Fine Screw™ is a cousin of the Fine Screw. With a double twist at the head for drawing strength, the Re-Fine Screw is ideal for siding, railing spindles, PVC and small adjustments. Comes in U-Gold or White coating.

RE-FINE SCREW™ FEATURES



Re-Fine Thread



Taper Point



Tight Star Recess



Fine Under-head

- ✓ U-Gold or White coating.
- ✓ Re-Fine Thread depresses synthetic materials for a clean finished appearance.
- ✓ With its slim shank and bulging thread this screw can be used without damaging even the hardest wood.
- ✓ Taper Point which consists of the Cork Screw Start and Blade Cutting Thread for easy piercing and alleviating strain on the material.
- ✓ Tight Star Recess system grasps the U-Bit tightly and can be installed with one hand.

AVAILABLE IN

- ✓ Lengths of 2" to 3-1/8" in case hardened steel and in 2-1/2" & 3" made of 316 Grade Stainless Steel
- ✓ Lengths 2" to 3-1/8" in White



RE-FINE SCREW™ ORDERING CHART

	BULK		BUCKET		PACKAGE	
SIZE	STOCK CODE	PCS	STOCK CODE	PCS	STOCK CODE	PCS
8 X 2"	R08102000B	4,500	R08102000P	565	R08102000H	100
8 X 2-1/2"	R08102500B	3,500	R08102500P	475	R08102500H	100
8 X 3-1/8"	R08103125B	2,000	R08103125P	400	R08103125H	100
9 X 3-1/8"	R09103125B	2,000	R09103125P	315	R09103125H	100
WHITE RE-FINE SCREW						
8 X 2"	Q08102000B	4,500	Q08102000P	495	Q08102000H	100
8 X 2-1/2"	Q08102500B	3,500	Q08102500P	390	Q08102500H	100
8 X 2-3/4"	Q08102750B	3,000	Q08102750P	350	Q08102750H	100
8 X 3-1/8"	Q08103125B	2,000	Q08103125P	290	Q08103125H	100
RE-FINE SCREW (STAINLESS 316)						
8 X 2-1/2"	N08102500B	3,500	N08102500P	386	N08102500H	100
8 X 3"	N08103000B	2,000	N08103000P	300	N08103000H	100



#8 screws take a T-10 U-Bit



#9 screws take a T-15 U-Bit



CAP SCREW™

LIGHT DUTY CONSTRUCTION SCREW

Our CAP Screw™ is most commonly used for cabinets, but with our U2 Gold coating it can be used interior or exterior along with all of our product line screws.

CAP SCREW™ FEATURES



Cap Under-head



Tapper Point



Tight Star Recess



Reamer Thread

- ✓ U-Gold coating.
- ✓ Dome Head with Rim and Cutting Ribbon under-head.
- ✓ Tapper Point which consists of the Cork Screw Start and Blade Cutting Thread for easy piercing and alleviating strain on the material.
- ✓ Tight Star Recess system grasps the U-Bit tightly and can be installed with one hand.
- ✓ Reamer thread.

AVAILABLE IN

- ✓ Lengths 1" to 3-1/8" in case hardened steel, 1-1/4" to 2-1/2" made of 305 grade stainless steel, and 1" to 2-1/2" in white.



CAP SCREW™ ORDERING CHART

	BULK		BUCKET		PACKAGE	
SIZE	STOCK CODE	PCS	STOCK CODE	PCS	STOCK CODE	PCS
8 X 1"	C08101000B	5,000	C08101000P	890	C08101000H	100
8 X 1-1/4"	C08101250B	4,000	C08101250P	800	C08101250H	100
8 X 1-1/2"	C08101500B	3,000	C08101500P	650	C08101500H	100
8 X 1-3/4"	C08101750B	2,000	C08101750P	505	C08101750H	100
8 X 2"	C08102000B	2,000	C08102000P	480	C08102000H	100
8 X 2-1/2"	C08102500B	1,500	C08102500P	435	C08102500H	100
8 X 2-3/4"	C08102750B	1,200	C08102750P	385	C08102750H	100
8 X 3-1/8"	C08103125B	1,000	C08103125P	335	C08103125H	100
10 X 1-5/8"	C10101625B	2,500	C10101625P	500	C10101625H	100
10 X 4"	C10104000B	800	C10104000P	150	C10104000H	50
WHITE CAP SCREW						
8 X 1"	C08W01000B	5,000	C08W01000P	890	C08W01000H	100
8 X 1-1/2"	C08W01500B	3,000	C08W01500P	650	C08W01500H	100
8 X 2-1/2"	C08W02500B	1,500	C08W02500P	435	C08W02500H	100
CAP SCREW (STAINLESS 305)						
8 X 1-1/4"	J08101250B	4,000	J08101250P	635	J08101250H	100
8 X 1-1/2"	J08101500B	3,000	J08101500P	425	J08101500H	100
10 X 2-1/2"	J10102500B	1,000	J10102500P	168	J10102500H	40



#8 screws take a T-15 U-Bit



#10 screws take a T-25 U-Bit



TOPSTAR SCREW™

DOOR AND WINDOW SHIM SCREW

The original Topstar Fastening System™ replaces shimming and can make door hanging a one-person job. TOPSTAR™ is a dual screw which works as one and is perfect for door jambs/wooden windows, insulations, paneling and cabinets. Great for any fine adjustments in both directions.

TOPSTAR SCREW™ FEATURES




TopStar Head TopStar Sleeve TopStar Reamer Thread TopStar Tip Crown Bit

- ✓ Adjustable screw, with two moving parts in one. An inner screw and a sleeve as a screw head.
- ✓ The sleeve is free spinning on top of the screw core.
- ✓ The screw can only be installed with a special tool called Crown Bit, which locks both parts together.

EASY 4 STEP WOOD TO WOOD INSTALLATION



1. Predrill frame/jamb with 5/16" drill bit.



2. Engage crown bit into TopStar screw head and drive flush to surface of frame or jamb.



3. For adjustments remove crown from bit.



4. Engage bit into center hole of TopStar screw head and adjust to your requirements.

AVAILABLE IN

- ✓ Lengths 2-1/2" to 4"



TOPSTAR SCREW™ ORDERING CHART

SIZE	BULK		BUCKET		PACKAGE	
	STOCK CODE	PCS	STOCK CODE	PCS	STOCK CODE	PCS
1/4 - 3/8 X 2-1/2"	T00102500B	500	T00102500T	100	T00102500H	18
1/4 - 3/8 X 3-1/8"	T00103125B	500	T00103125T	100	T00103125H	18
1/4 - 3/8 X 4"	T00104000B	500	T00104000T	100	T00104000H	18
CROWN BIT					B00250000Z	1



STEEL SIDING SCREW™

METAL TO WOOD SCREW

The Steel Siding Screw™ is an ideal metal roofing, siding, garage door seal, trim and flashing screw, with a low profile white powder coated head and EPDM washer.

STEEL SIDING SCREW™ FEATURES



Dome Head



Tapper Point



Tight Star Recess

- ✓ Dome Head, Powder coated WHITE with Rim and black EPDM Rubber Washer.
- ✓ Tapper Point which consists of the Cork Screw Start and Blade Cutting Thread for easy piercing and alleviating strain on the material.
- ✓ Tight Star Recess system grasps the U-Bit tightly.

AVAILABLE IN

- ✓ Length 1-1/2" in case hardened steel



STEEL SIDING SCREW™ ORDERING CHART

	BULK		BUCKET		PACKAGE	
SIZE	STOCK CODE	PCS	STOCK CODE	PCS	STOCK CODE	PCS
10 X 1-1/2"	M10101500B	2,300	M10101500P	320	M10101500H	50



#10 screw take a T-20 U-Bit



VINYL EXTRUSION SCREW™

VINYL WINDOW REPLACEMENT SCREW

The Vinyl Extrusion Screw™ is an adjustable screw ideal for vinyl window retro-fits over old aluminum window frames. It has a small low profile white powder coated head and tek drill point.

VINYL EXTRUSION SCREW™ FEATURES



Dome Head



Tek Point



Tight Star Recess

- ✓ Dome Head, Powder coated WHITE with Rim.
- ✓ Tek Point and Blade Cutting Thread for easy piercing and alleviating strain on the material.
- ✓ Tight Star Recess system grasps the U-Bit tightly.

AVAILABLE IN

- ✓ Length 3-1/8" in case hardened steel



VINYL EXTRUSION™ SCREW ORDERING CHART

SIZE	BULK		BUCKET		PACKAGE	
	STOCK CODE	PCS	STOCK CODE	PCS	STOCK CODE	PCS
10 X 3-1/8"	V10103125B	800	V10103125P	200	V10103125H	50



#10 screw take a T-25 U-Bit



U-BITS™

SNUG FIT STAR DRIVE RECESS

THE U-BITS™ are specifically designed to fit snug and firm on the Tight Star Recess of the U2 Fasteners™ screw assortment. However, U2 Fasteners™ also fit the traditional star drive. U-Bits™ are impact driver ready and are made of hardened steel to prevent wear and tear. Use with the U-Bit™ Holder to make the job easier.

AVAILABLE IN

- ✓ 1" to 6" in T-10, T-15, T-20, T-25, T-30 and T-40. They are offered packaged in cards of two bits per card or in packs of 25 pieces

U-BITS					
BIT	PACKAGE		CARDED		
	SIZE	STOCK CODE	PCS	STOCK CODE	PCS
10-1"		B00210010W	25	B00210010X	2
10-2"		B00210020W	25	B00210020X	2
10-3"		B00210030W	25	B00210030X	2
10-6"				B00210060X	2
15-1"		B00215010W	25	B00215010X	2
15-2"		B00215020W	25	B00215020X	2
15-3"		B00215030W	25	B00215030X	2
15-6"				B00215060X	2
20-1"		B00220010W	25	B00220010X	2
20-2"		B00220020W	25	B00220020X	2
25-1"		B00225010W	25	B00225010X	2
25-2"		B00225020W	25	B00225020X	2
25-3"		B00225030W	25	B00225030X	2
25-6"				B00225060X	2
30-1"		B00230010W	25	B00230010X	2
30-2"		B00230020W	25	B00230020X	2
30-3"		B00230030W	25	B00230030X	2
30-6"				B00230060X	2
40-1"		B00240010W	25	B00240010X	2
40-2"		B00240020W	25	B00240020X	2
40-3"		B00240030W	25	B00240030X	2
Bit Holder		Z00302000W	1		
Bit Strip w Clip		Z00352000W	1		

MERCHANDISING & DISPLAYS



Store Display

26" W x 22" D x 62" H



Store Display

36" W x 22" D x 62" H



Screw Display Board



TopStar™ Demo Block



24" Header Card



35" Header Card

Available with qualifying order.

SCREW FEATURES

Universal Screw



Construction Screw



- TIGHT RECESS
- BURROW POCKETS
- TALON GRIP
- CASE HARDENED STEEL
- CHROME 6+ FREE COATING
- REAMER THREAD
- AGGRESSIVE BLADE CUTTING THREAD
- TAPPER POINT WITH CORK SCREW START

Cap Screw



Fine Screw



TIGHT RECESS

CASE HARDENED STEEL

CHROME 6+ FREE COATING

AGGRESSIVE BLADE
CUTTING THREAD

TAPPER POINT WITH
CORK SCREW START



U2 *Fasteners*™

P: 855-895-7096
u2fasteners.com

F: 807-623-6224
info@u2fasteners.com

OUR FASTENERS ARE

OVER
75%
MORE
VERSATILE

Connect with us:
 @U2Fasteners